




N.W. 1/4, SEC. 26, T. 21 N., R. 4 E., W.M.




TEMPORARY CUL-DE-SAC




NOTES



- Avoid placing drainage structures, junction boxes or other obstructions in front of ramp access areas.
- Detectable warning patterns may be created by any method that will achieve the truncated dome dimensions and spacing shown. The detectable warning pattern area shall be yellow, in compliance with Std. Spec. 8-14.3(3).
- Rolled Curb and gutter shown, see the Contract Plans for the curb design specified. See Std. Plan 3-002, above right for curb details.
- See Std. Plan F-3 for sidewalk joint placement and details.
- Ramp slopes shall not be steeper than 12H:1V.




SIDEWALK RAMP TYPE 2A PLAN





SIDEWALK RAMP TYPE 2A (PER FIG. 3011, 3012, 3013 AND 3015)




	MIN.	MAX.
D	1 5/8"	2 3/8"
E	5/8"	1 1/2"
F	7/16"	3/4"
G	7/8"	1 7/16"



TRUNCATED DOMES (SEE NOTE 2)
DETECTABLE WARNING PATTERN DETAIL



KING COUNTY D.D.E.S.	
Review Engineer	Completion Date
Senior Engineer	Completion Date
MOLLY A. JOHNSON, P.E. DEVELOPMENT ENGINEER	Approval Date
Comments:	



15445 53RD AVE. S.
SEATTLE, WA 98188
PHONE: (206) 431-7970
FAX: (206) 388-1648
WEB SITE: PACENG.COM

Pacific Engineering Design, LLC
Civil Engineering and Planning Consultants

PEPPER HILL ESTATES
KING COUNTY, WA.

FOR:
PACIFIC HOUSING GROUP I, LLC
1420 5TH AVE, SUITE 2200
SEATTLE, WA 98101-1546
PHONE: (206) 521-5979 | FAX: (206) 224-2880

PROJECT NO.: 05052
DRAWN BY: JGC/RRJ
ISSUE DATE: 06-22-07
SHEET REV.: 11-20-09

DETAILS (ROAD AND PAVEMENT)

05052D103-RW23-RW24.DWG
R23