


THESE DRAWINGS ARE APPROVED FOR CONSTRUCTION FOR A PERIOD OF 12 MONTHS FROM THE DATE SHOWN HEREON. THE CITY RESERVES THE RIGHT TO MAKE REVISIONS, ADDITIONS, DELETIONS, OR MODIFICATIONS SHOULD CONSTRUCTION BE DELAYED BEYOND THIS TIME LIMITATION. THE CITY, BY APPROVING THESE DRAWINGS, ASSUMES NO LIABILITY IN REGARDS TO THEIR ACCURACY OR OMISSIONS.




15445 53RD AVE. S.  
SEATTLE, WA 98188  
PHONE: (206) 431-7970  
FAX: (206) 388-1648  
WEB SITE: PACENG.COM

**Pacific Engineering Design, LLC**  
Civil Engineering and Planning Consultants


USE EXCAVATION OF DETENTION/WET POND AS TEMPORARY EROSION/SEDIMENTATION CONTROL TRAP  
TOP OF BERM=329.5  
WATER SURFACE=327.0  
BOTTOM OF POND=323.5  
REQUIRED SURFACE AREA=1,352 SF  
PROVIDED SURFACE AREA=1,363 SF  
PER DETAIL, SHEET C06




SECTION A-A



PLAN VIEW




SECTION OVERFLOW SPILLWAY



NOT TO SCALE

NOTES

1. Size the Below Inlet Grate Device (BIGD) for the storm water structure it will service.
2. The BIGD shall have a built-in high-flow relief system (overflow bypass).
3. The retrieval system must allow removal of the BIGD without spilling the collected material.
4. Perform maintenance in accordance with Standard Specification 8-01.3(15).



STORM DRAIN INLET PROTECTION  
WSDOT STANDARD PLAN I-40.20-00

LAWRENCE PARK  
CITY OF NEWCASTLE  
FOR: MR. SCOTT CAMERON  
BENT NOSE, LLC  
1215 20TH AVE NE, SUITE 110  
BELLEVUE, WA 98005  
PHONE: (425) 453-9955

PROJECT NO.: 05119  
DRAWN BY: JQC  
ISSUE DATE: 04-01-08  
SHEET REV.: 08-22-08

TEMPORARY EROSION/SEDIMENTATION CONTROL DETAILS

CD05119TB03-C06.DWG  
**C06**